THAT LEADS TO AN ANTIBIOTIC PRESCRIPTION after a physician's visit'


## APPROXIMATELY 150 MILLION DEVELOP UTIS IN A GIVEN YEAR<sup>2</sup>

39-50%

OF THE FEMALE
LAB SAMPLES SENT
FOR CULTURE

## COME BACK NEGATIVE<sup>8</sup>

UTI OVERDIAGNOSIS
RATES IN WOMEN
ARE 31-57%



ABOUT

OF ADULT
SEPSIS CASES

ORIGINATE FROM
UROGENITAL TRACT
INFECTIONS,

with most of these cases caused by complicated UTIs<sup>9</sup>

**APPROXIMATELY** 

OF ALL COMMUNITY-PRESCRIBED ANTIBIOTICS DISPENSED IN THE U.S. ARE FOR UTI<sup>6</sup>;

some European countries report similar findings<sup>7</sup>

**UTIS OCCUR** 

6 X MORE OFTEN

in women than men<sup>3</sup>

## INTHE U.S. 3.6 MILLION

EMERGENCY DEPARTMENT (ED)
VISITS PER YEAR ARE
RELATED TO UTIs<sup>5</sup>

50 OF WOMEN REPORT HAVING HAD A UTI

at some point in their lives<sup>4</sup>

The economic burden in the ED for UTI treatment is estimated at

COBILLION CANNUALLY

Learn how the Urine Culture Candidate report on the Iris urinalysis system can help you streamline your UTI testing workflow. beckmancoulter.com/uti

## References:

References:

1. Lee, Helen and Le, Jennifer. Urinary Tract Infections. PSAP 2018 BOOK 1: Infectious Diseases

2. Flores-Mireles AL, Walker JN, Caparon M, Hultgren SJ. "Urinary tract infections: epidemiology, mechanisms of infection and treatment options." *Nat Rev Microbiol*, 2015, vol. 13, no. 5, pp. 269–284.

3. Al-Badr A, and Al-Shaikh G. "Recurrent Urinary Tract Infections Management in Women." *SQU Med J*, 2013, vol. 13, no. 3, pp. 359-367. doi: 10.12816/0003256.
4. Rahn DD. "Urinary Tract Infections: Contemporary Management." *Urol Nurs*, 2008, vol. 28, no. 5, pp. 333-342.

5. Abbo LM, Hooton TM. "Antimicrobial Stewardship and Urinary Tract Infections." *Antibiotics*, 2014, vol. 3, no. 2, pp. 174 –192.

6. Mazzulli T. "Resistance Trends in Urinary Tract Pathogens and Impact on Management." J Urol, 2002, vol. 168, no. 4, pt. 2, pp. 1720-22.7. Aabenhus, R., Hansen, M. P., Siersma, V., & Bjerrum, L. (2017). Clinical indications for antibiotic use in Danish general practice: results from a nationwide elect

Scandinavian Journal of Primary Health Care, 35(2), 162-169. https://doi.org/10.1080/02813432.2017.1333321

8. Tomas ME, Getman D, Donskey CJ, Hecker MT. 2015. Overdiagnosis of urinary tract infection and underdiagnosis of sexually transmitted infection in adult women presenting to an emergency department.

J Clin Microbiol 53:2686 -2692. doi:10.1128/JCM.00670-15.
9. Wagenlehner FME, Lichtenstern C, Rolfes C et al. "Diagnosis and Management for Urosepsis." Int J Urol. 2013, vol. 20, no. 10, doi:

© 2020 Beckman Coulter, Inc. All rights reserved. Beckman Coulter, the stylized logo, and the Beckman Coulter product and service marks mentioned herein are trademarks or registered trademarks of Beckman Coulter, Inc. in the United States and other countries. For Beckman Coulter's worldwide office locations and phone numbers, please visit www.beckmancoulter.com

